

Local Safety Enclosures

Equipped with SOCOMEC Sirco M Switches from 16A to 125A
Protection Degree IP 55

SOCOMEK Sirco M Load break switches


Function

The SIRCO M are manually operated and modular multipolar load break switches. They make and break under load condition and provide safety isolation for any low voltage circuit, particularly for machine control circuits.


Possibility of adding M-type auxiliary contact module.

Conformity to Standards

> IEC 60947 - 3




SIRCO M
in polycarbonat enclosure



SIRCO M
in polycarbonat enclosure



SIRCO M
in metal enclosure



References

Enclosed Switches

Rating A	No. of pole	Switches	Reference
Material : Polycarbonat		Size H155 X W115 X D110mm	
16	3	Sirco M	SOSMB30016
16	4	Sirco M	SOSMB40016
20	3	Sirco M	SOSMB30020
20	4	Sirco M	SOSMB40020
25	3	Sirco M	SOSMB30025
25	4	Sirco M	SOSMB40025
32	3	Sirco M	SOSMB30032
32	4	Sirco M	SOSMB40032
40	3	Sirco M	SOSMB30040
40	4	Sirco M	SOSMB40040
Material : Polycarbonat		Size H215 X W150 X D110mm	
63	3	Sirco M	SOSMB30063
63	4	Sirco M	SOSMB40063
80	3	Sirco M	SOSMB30080
80	4	Sirco M	SOSMB40080
100	3	Sirco M	SOSMB30100
100	4	Sirco M	SOSMB40100
125	3	Sirco M	SOSMB30125
125	4	Sirco M	SOSMB40125
Material : Metal		Size H250 X W200 X D120mm	
32	3	Sirco M	SOSME30032
32	4	Sirco M	SOSME40032
40	3	Sirco M	SOSME30040
40	4	Sirco M	SOSME40040
63	3	Sirco M	SOSME30063
63	4	Sirco M	SOSME40063
80	3	Sirco M	SOSME30080
80	4	Sirco M	SOSME40080
100	3	Sirco M	SOSME30100
100	4	Sirco M	SOSME40100
125	3	Sirco M	SOSME30125
125	4	Sirco M	SOSME40125
Material : Metal		Size H250 X W200 X D120mm	
32	6	Sirco M	SOSME60032
32	8	Sirco M	SOSME80032
40	6	Sirco M	SOSME60040
40	8	Sirco M	SOSME80040
63	6	Sirco M	SOSME60063
63	8	Sirco M	SOSME80063
80	6	Sirco M	SOSME60080
80	8	Sirco M	SOSME80080
100	6	Sirco M	SOSME60100
100	8	Sirco M	SOSME80100
Material : Metal		Size H400 X W300 X D150mm	
125	6	Sirco M	SOSME60125
125	8	Sirco M	SOSME80125

Local Safety Enclosures

Equipped with SOCOMEC Fuserbloc Fuse Combination Switches from 32A to 630A
Protection Degree IP 55

SOCOME C Fuserbloc Fuse combination switches

Function

The SOCOMEC Fuserbloc are manually operated multipolar fuse combination switches. They break or switch off on load and provide safety isolation and protection against overcurrent for any low voltage electrical circuit. Possibility of adding auxiliary contacts.

Conformity to Standards

> IEC 60947 - 3



FUSERBLOC
in metal enclosure



FUSERBLOC
in metal enclosure



References

Enclosed Switches

Rating A	No. of pole	Switches	Reference
Material : Metal		Size H400 X W300 X D150mm	
32	3	Fuserbloc	SOFE300032
32	4	Fuserbloc	SOFE400032
63	3	Fuserbloc	SOFE300063
63	4	Fuserbloc	SOFE400063
100	3	Fuserbloc	SOFE300100
100	4	Fuserbloc	SOFE400100

Material : Metal Size H500 X W400 X D200mm

160	3	Fuserbloc	SOFE300160
160	4	Fuserbloc	SOFE400160
200	3	Fuserbloc	SOFE300200
200	4	Fuserbloc	SOFE400200

Material : Metal Size H600 X W500 X D200mm

200	3	Fuserbloc	SOFE300200
200	4	Fuserbloc	SOFE400200
315	3	Fuserbloc	SOFE300315
315	4	Fuserbloc	SOFE400315
400	3	Fuserbloc	SOFE300400
400	4	Fuserbloc	SOFE400400

Material : Metal Size H800 X W600 X D320mm

630	3	Fuserbloc	SOFE300630
630	4	Fuserbloc	SOFE400630

Local Safety Enclosures

Equipped with SOCOMEC Sirco Switches from 125A to 1250A
Protection Degree IP 55

SOCOME C Sirco Load break switches

Function

SOCOME C SIRCO Manually operated multipolar load break switches. They make and break under load condition and provide safety isolation. Sirco are designed for 415 VAC and DC low voltage electrical circuit. Possibility of adding auxiliary contacts.

Conformity to Standards

> IEC 60947 - 3



SIRCO
in metal enclosure



SIRCO
in metal enclosure



References

Enclosed Switches

Rating A	No. of pole	Switches	Reference
Material : Metal		Size H400 X W300 X D150mm	
125	3	Sirco	SOSE300125
125	4	Sirco	SOSE400125
160	3	Sirco	SOSE300160
160	4	Sirco	SOSE400160
200	3	Sirco	SOSE300200
200	4	Sirco	SOSE400200
Material : Metal		Size H500 X W400 X D150mm	
250	3	Sirco	SOSE300250
250	4	Sirco	SOSE400250
315	3	Sirco	SOSE300315
315	4	Sirco	SOSE400315
Material : Metal		Size H600 X W500 X D200mm	
315	3	Sirco	SOSE300315
315	4	Sirco	SOSE400315
400	3	Sirco	SOSE300400
400	4	Sirco	SOSE400400
500	3	Sirco	SOSE300500
500	4	Sirco	SOSE400500
630	3	Sirco	SOSE300630
630	4	Sirco	SOSE400630
Material : Metal		Size H800 X W600 X D320mm	
800	3	Sirco	SOSE300800
800	4	Sirco	SOSE400800
1000	3	Sirco	SOSE301000
1000	4	Sirco	SOSE401000
1250	3	Sirco	SOSE301250
1250	4	Sirco	SOSE401250

Local Safety Enclosures

Equipped with SOCOMEC Sircover from 16A to 630A

Protection Degree IP 55

SOCOME C Sircover Manual changeover switches

Function

The SIRCOVER M are manually operated and modular multipolar changeover switches. They make and break under load condition and provide safety isolation for any low voltage circuit, particularly for machine control circuits.

Possible of adding auxiliary contacts.

Conformity to Standards

> IEC 60947 - 3



SIRCOVER M
in metal enclosure



SIRCOVER
in metal enclosure



References

Enclosed Switches

Rating A	No. of pole	Switches	Reference
Material : Metal		Size H250 X W200 X D120mm	
16	3	Sircover M	SOCME30016
16	4	Sircover M	SOCME40016
20	3	Sircover M	SOCME30020
20	4	Sircover M	SOCME40020
25	3	Sircover M	SOCME30025
25	4	Sircover M	SOCME40025
32	3	Sircover M	SOCME30032
32	4	Sircover M	SOCME40032
40	3	Sircover M	SOCME30040
40	4	Sircover M	SOCME40040
63	3	Sircover M	SOCME30063
63	4	Sircover M	SOCME40063
80	3	Sircover M	SOCME30080
80	4	Sircover M	SOCME40080
100	3	Sircover M	SOCME30100
100	4	Sircover M	SOCME40100
Material : Metal		Size H400 X W300 X D150mm	
125	3	Sircover M	SOCME30125
125	4	Sircover M	SOCME40125

Equipped with SOCOMEC Sircover
Manual changeover switches from 125A to 630A

References

Enclosed Switches

Rating A	No. of pole	Switches	Reference
Material : Metal		Size H500 X W400 X D250mm	
125	4	Sircover	SOCE400125
160	4	Sircover	SOCE400160
200	4	Sircover	SOCE400200
250	4	Sircover	SOCE400250
400	4	Sircover	SOCE400400
Material : Metal		Size H600 X W400 X D250mm	
125	4	Sircover	SOCE400126
160	4	Sircover	SOCE400161
200	4	Sircover	SOCE400201
250	4	Sircover	SOCE400251
400	4	Sircover	SOCE400401
Material : Metal		Size H800 X W600 X D320mm	
630	4	Sircover	SOCE400630